

SLIDE OUT TRUCK TRAYS

WWW.CARGOGLIDE.COM

PHONE: 877-525-9535



877-525-9535

Sales@CargoGlide.com | CargoGlide.com

2015 APPLICATION GUIDE		Size	70% Extension Models				100% Extension				
Year	CHEVROLET / GMC		CG1000	CG1200	CG1500	CG1800HD	CG2200HD	CG1500XL	CG2200XL	CG1500XL	CG2200XL
1970 - 2015	Silverado / Sierra Longbed (8' Bed)	9548	CG1000-9548	CG1200-9548	CG1500-9548	CG1800HD-9548	CG2200HD-9548	CG1500XL-9548	CG2200XL-9548	CG1500XL-9548	CG2200XL-9548
1970 - 2015	Silverado / Sierra Shortbed (6 1/2' Bed)	7548	CG1000-7548	CG1200-7548	CG1500-7548	CG1800HD-7548	CG2200HD-7548	CG1500XL-7548	CG2200XL-7548	CG1500XL-7548	CG2200XL-7548
2005 - 2015	Silverado / Sierra Crew Cab SSB (5 1/2' Bed)	6548	CG1000-6548	CG1200-6548	CG1500-6548	CG1800HD-6548	CG2200HD-6548	CG1500XL-6548	CG2200XL-6548	CG1500XL-6548	CG2200XL-6548
2002 - 2015	Avalanche / Cadillac Escalade EXT (No Drill)	Aval	CG1000-Aval	CG1200-Aval	CG1500-Aval	CG1800HD-Aval	N/A	CG1500XL-Aval	N/A	CG1500XL-Aval	N/A
2004 - 2015	Colorado / Canyon Std & Ext Cabs	7041	CG1000-7041	CG1200-7041	CG1500-7041	CG1800HD-7041	N/A	N/A	N/A	N/A	N/A
2015	Colorado / Canyon Short Box	5841	CG1000-5841	CG1200-5841	CG1500-5841	N/A	N/A	N/A	N/A	N/A	N/A
1992 - 2015	Suburban / Yukon XL	6347	CG1000-6347	CG1200-6347	CG1500-6347	CG1800HD-6347	CG2200HD-6347	CG1500XL-6347	CG2200XL-6347	CG1500XL-6347	CG2200XL-6347
1999 - 2015	Tahoe	4147	CG1000-4147	CG1200-4147	CG1500-4147	CG1800HD-4147	N/A	CG1500XL-4147	N/A	CG1500XL-4147	N/A
Year	FORD		CG1000	CG1200	CG1500	CG1800HD	CG2200HD	CG1500XL	CG2200XL	CG1500XL	CG2200XL
1970 - 2015	All F-Series Longbed - All Cab Designs	9548	CG1000-9548	CG1200-9548	CG1500-9548	CG1800HD-9548	CG2200HD-9548	CG1500XL-9548	CG2200XL-9548	CG1500XL-9548	CG2200XL-9548
1999 - 2015	Super-Duty Shortbed - All Cabs	8048	CG1000-8048	CG1200-8048	CG1500-8048	CG1800HD-8048	CG2200HD-8048	CG1500XL-8048	CG2200XL-8048	CG1500XL-8048	CG2200XL-8048
1970 - 2015	Shortbed 6.5' Bed - All Cab Designs	7548	CG1000-7548	CG1200-7548	CG1500-7548	CG1800HD-7548	CG2200HD-7548	CG1500XL-7548	CG2200XL-7548	CG1500XL-7548	CG2200XL-7548
2001 - 2015	F150 Super Crew - Super Shortbed	6548	CG1000-6548	CG1200-6548	CG1500-6548	CG1800HD-6548	CG2200HD-6548	CG1500XL-6548	CG2200XL-6548	CG1500XL-6548	CG2200XL-6548
2010 - 2015	Ford Raptor with and w/o bedliner	6548	CG1000-6548	CG1200-6548	CG1500-6548	CG1800HD-6548	CG2200HD-6548	CG1500XL-6548	CG2200XL-6548	CG1500XL-6548	CG2200XL-6548
Year	DODGE		CG1000	CG1200	CG1500	CG1800HD	CG2200HD	CG1500XL	CG2200XL	CG1500XL	CG2200XL
1970 - 2015	Ram 1500/2500/3500 Longbed (8' Bed)	9548	CG1000-9548	CG1200-9548	CG1500-9548	CG1800HD-9548	CG2200HD-9548	CG1500XL-9548	CG2200XL-9548	CG1500XL-9548	CG2200XL-9548
1970 - 2015	Ram 1500/2500/3500 Shortbed W/O Bedliner	7548	CG1000-7548	CG1200-7548	CG1500-7548	CG1800HD-7548	CG2200HD-7548	CG1500XL-7548	CG2200XL-7548	CG1500XL-7548	CG2200XL-7548
2009 - 2015	Ram 1500 Shortbed (5.7' Bed)	6548	CG1000-6548	CG1200-6548	CG1500-6548	CG1800HD-6548	CG2200HD-6548	CG1500XL-6548	CG2200XL-6548	CG1500XL-6548	CG2200XL-6548
Year	TOYOTA		CG1000	CG1200	CG1500	CG1800HD	CG2200HD	CG1500XL	CG2200XL	CG1500XL	CG2200XL
2005 - 2015	Tacoma Regular & Access Cab	7041	CG1000-7041	CG1200-7041	CG1500-7041	CG1800HD-7041	N/A	N/A	N/A	N/A	N/A
2005 - 2015	Tacoma Double Cab Longbed	7041	CG1000-7041	CG1200-7041	CG1500-7041	CG1800HD-7041	N/A	N/A	N/A	N/A	N/A
2007 - 2015	Tundra Reg Cab/Dbl/CrewMax Cab Shortbed	7548	CG1000-7548	CG1200-7548	CG1500-7548	CG1800HD-7548	CG2200HD-7548	CG1500XL-7548	CG2200XL-7548	CG1500XL-7548	CG2200XL-7548
2007 - 2015	Tundra Reg Cab & Dbl Cab Longbed	9548	CG1000-9548	CG1200-9548	CG1500-9548	CG1800HD-9548	CG2200HD-9548	CG1500XL-9548	CG2200XL-9548	CG1500XL-9548	CG2200XL-9548
2007 - 2013	Tundra CrewMax (5.5' Bed)	6348	CG1000-6348	CG1200-6348	CG1500-6348	N/A	N/A	CG1500XL-6348	CG2200XL-6348	CG1500XL-6348	CG2200XL-6348
Year	NISSAN		CG1000	CG1200	CG1500	CG1800HD	CG2200HD	CG1500XL	CG2200XL	CG1500XL	CG2200XL
2006 - 2015	Titan King Cab Longbed (8')	9548	CG1000-9548	CG1200-9548	CG1500-9548	CG1800HD-9548	CG2200HD-9548	CG1500XL-9548	CG2200XL-9548	CG1500XL-9548	CG2200XL-9548
2004 - 2015	Titan King Cab Shortbed (6.5')	7548	CG1000-7548	CG1200-7548	CG1500-7548	CG1800HD-7548	CG2200HD-7548	CG1500XL-7548	CG2200XL-7548	CG1500XL-7548	CG2200XL-7548
2004 - 2015	Titan Crew Cab Shortbed (5.5')	6548	CG1000-6548	CG1200-6548	CG1500-6548	CG1800HD-6548	CG2200HD-6548	CG1500XL-6548	CG2200XL-6548	CG1500XL-6548	CG2200XL-6548
2005 - 2015	Frontier King Cab Regular Bed	7038	CG1000-7038	CG1200-7038	CG1500-7038	CG1800HD-7038	CG2200HD-7038	N/A	N/A	N/A	N/A
2000 - 2015	Frontier Crew Cab Regular Bed	7038	CG1000-7038	CG1200-7038	CG1500-7038	CG1800HD-7038	CG2200HD-7038	N/A	N/A	N/A	N/A

CARGOGLIDE ACCESSORIES

CGSL-1	Adjustable dropdown stabilizer legs
CGCR-65	CargoRack - Aluminum Modular Rack System - 65" slide
CGCR-75	CargoRack - Aluminum Modular Rack System - 75" slide
CGCR-95	CargoRack - Aluminum Modular Rack System - 95" slide
CGHS-48	HighSlides - Standard Kit 48" Long on Sides, Width of Deck at Cab End; Can order custom sizes.
CGCTD-4	CargoTrack - Adjustable Sliding Tie Down EyeBolt Attachments (Set of 4)
CGGN-1	GooseNeck Option (CG2200HD Only, Need Measurements: Cab End of Bed to Center of Hitch Ball.) (Best if Hitch Ball is Flip Over Flush Mount Type)
CGCD-6	CargoDivider - 6" high, Attaches to Side Rail Tie Down Track; Provide Width of Slide Deck if Ordering Separately.



www.CargoGlide.com

Haul Everything Easier, Safer and Faster with an Easy Sliding High Capacity CargoGlide® brand Industrial Sliding Cargo Tray

Additional Shipping Charges may apply outside of the contiguous United States

MADE IN THE U.S.A



CargoGlide's Commitment to You

It started with a commitment to build a better delivery system. A sliding tray that was American made. Not compromising quality of material, to make a «Pretty» outward appearance. By listening to the needs of our customers not what we thought they would like, we designed a sliding tray with longevity of use and ease of function.

Like our commitment from the start, we pride ourselves on building a safety tool that keeps delivering to you anything you need retrieved, while saving your knees and back. That's what CargoGlide is, the smart persons retrieval system. We are committed to make your life and work easier, smarter, more efficient and safer.

In short our slide was designed & built to help «YOU» work or play more efficiently. It's our commitment to you.

The CargoGlide Family

Table of Contents
Just Look it's only 8 pages





MAIN SPECS



CAPACITIES

Payload Distributed Capacity	1000 lbs
Tie-down Load Rating	400 lbs per tie-down
Bearing Load Rating	Combined Load Rating of Bearings = 6350
Load	2 @ 1573 ea.
Carrier	2 @ 1602 ea.
Side-Thrust	2 @ 1573 ea.
Plus-Nut Rating (in. 125 steel)	4 - 6 @ 1500 lbs. each
Extension	70-75%

1000 lb capacity. 75% of the Cargo Tray Length Slides Out on short bed trucks and 70% on long beds. Sturdy steel frame construction. Real plywood deck with a laminated surface for strength and durability. 6 Bearings Total, 4 Full Complement Permanently Sealed Ball Bearings and Two Powerful Needle Bearings provide Dependable Lasting support for the Cargo You Haul in Your CargoGlide. Industrial 4" high extruded 6061-T6 Thick Aluminum Side Rails with a Slot Style infinitely adjustable Tie Down Track around all Three Sides, and includes 4 adjustable marine grade tie down eyebolts to make securing cargo easy and versatile.

DIMENSIONS / WEIGHT RANGES

Length	30" - 96"
Width	22" - 48"
Profile/ Deck Height (inches)	3 3/4
Side Rails	4"
Grab Rail	Based on width of unit
Lower Frame Width	19" - 35"
Weight	130 - 175 lbs.

Custom Sizes Available





MAIN SPECS



CAPACITIES

Payload Distributed Capacity
Tie-down Load Rating
Bearing Load Rating

Load
 Carrier
 Side-Thrust

Plus-Nut Rating (in. 125 steel)
Extension

1200 lbs
400 lbs per tie-down
Combined Load Rating
of Bearings = 15048
2 @ 2508 ea.
4 @ 2508 ea.
2 @ 1573 ea.
4 - 6 @ 1500 lbs. each
70-75%

DIMENSIONS / WEIGHT RANGES

Length
Width
Profile/ Deck Height (inches)
Side Rails
Grab Rail
Lower Frame Width
Weight

30" - 96"
22" - 48"
3 3/4
4"
Based on width of unit
19" - 35"
130 - 175 lbs.

1200 lb capacity. 75% of the Cargo Tray Length Slides Out on short bed trucks and 70% on long beds. Sturdy steel frame construction. Real plywood deck with a laminated surface for strength and durability. 8 Full Complement Permanently Sealed Ball Bearings provide Dependable Lasting support for the Cargo You Haul in Your CargoGlide. Industrial 4" high extruded 6061-T6 Thick Aluminum Side Rails with a Slot Style infinitely adjustable Tie Down Track around all Three Sides, and includes 4 adjustable marine grade tie down eyebolts to make securing cargo easy and versatile.

Custom Sizes Available





MAIN SPECS



CAPACITIES

Payload Distributed Capacity
Tie-down Load Rating
Bearing Load Rating

Load
 Carrier
 Side-Thrust

Plus-Nut Rating (in. 125 steel)
Extension

1500 lbs
400 lbs per tie-down
Combined Load Rating of Bearings = 15048
2 @ 2508 ea.
4 @ 2508 ea.
2 @ 1573 ea.
4 - 6 @ 1500 lbs. each
70-75%

DIMENSIONS / WEIGHT RANGES

Length
Width
Profile/ Deck Height (inches)
Side Rails
Grab Rail
Lower Frame Width
Weight

30" - 96"
22" - 48"
4 1/4
4"
Based on width of unit
19,5" - 35 1/2"
155 - 205 lbs.

1500 lb capacity. 75% of the Cargo Tray Length Slides Out on short bed trucks and 70% on long beds. Sturdy steel frame construction. Real plywood deck with a laminated surface for strength and durability. 8 Full Complement Permanently Sealed Ball Bearings provide Dependable Lasting support for the Cargo You Haul in Your CargoGlide. Industrial 4" high extruded 6061-T6 Thick Aluminum Side Rails with a Slot Style infinitely adjustable Tie Down Track around all Three Sides, and includes 4 adjustable marine grade tie down eyebolts to make securing cargo easy and versatile.

Custom Sizes Available





MAIN SPECS



CAPACITIES

Payload Distributed Capacity	1800 lbs
Tie-down Load Rating	400 lbs per tie-down
Bearing Load Rating	Combined Load Rating of Bearings = 16070
Load	2 @ 3019 ea.
Carrier	4 @ 2508 ea.
Side-Thrust	2 @ 1573 ea.
Plus-Nut Rating (in. 125 steel)	4 - 6 @ 1500 lbs. each
Extension	70-75%

DIMENSIONS / WEIGHT RANGES

Length	30" - 96"
Width	22" - 48"
Profile/ Deck Height (inches)	4 1/4
Side Rails	4" with 8" High Sides
Grab Rail	Based on width of unit
Lower Frame Width	19.5" - 35 1/2"
Weight	155 - 205 lbs.

1800 lb capacity. 75% of the Cargo Tray Length Slides Out on short bed trucks and 70% on long beds. Real plywood deck with a laminated surface for strength and durability. 8 Full Complement Permanently Sealed Ball Bearings provide Dependable Lasting support for the Cargo You Haul in Your CargoGlide. Industrial 4" high extruded 6061-T6 Thick Aluminum Side Rails with a Slot Style infinitely adjustable Tie Down Track around all Three Sides, and includes 4 adjustable marine grade tie down eyebolts to make securing cargo easy and versatile. Includes 8" High Side Extensions on the first four feet of the rails at the cab end, helps contain more cargo.

Custom Sizes Available





MAIN SPECS



CAPACITIES

Payload Distributed Capacity
Tie-down Load Rating
Bearing Load Rating

Load
 Carrier
 Side-Thrust

Plus-Nut Rating (in. 125 steel)
Extension

2200 lbs
400 lbs per tie-down
Combined Load Rating of Bearings = 22108
4 @ 3019 ea.
4 @ 2508 ea.
2 @ 1573 ea.
4 - 6 @ 1500 lbs. each
70-75%

DIMENSIONS / WEIGHT RANGES

Length
Width
Profile/ Deck Height (inches)
Side Rails
Grab Rail
Lower Frame Width
Weight

30" - 96"
22" - 48"
4 1/4
4" with 8" High Sides
Based on width of unit
19.5" - 35 1/2"
155 - 205 lbs.

2200 lb capacity. 75% of the Cargo Tray Length Slides Out on short bed trucks and 70% on long beds. Real plywood deck with a laminated surface for strength and durability. 10 Bearings Total, 4 Full Complement Double Row, 6 Single Row Permanently Sealed Ball Bearings provide Dependable Lasting support for the Cargo You Haul in Your CargoGlide Industrial 4" high extruded 6061-T6 Thick Aluminum Side Rails with a Slot Style infinitely adjustable Tie Down Track around all Three Sides, and includes 4 adjustable marine grade tie down eyebolts to make securing cargo easy and versatile. Includes 8" High Side Extensions on the first four feet of the rails at the cab end, helps contain more cargo.

Custom Sizes Available





MAIN SPECS



CAPACITIES

Payload Distributed Capacity	1500 lbs
Tie-down Load Rating	400 lbs per tie-down
Bearing Load Rating	Combined Load Rating of Bearings = 57150
Load Carrier	4 @ 3019 ea. / 16 @ 2508 ea.
Side-Thrust	2 @ 2473 ea.
Plus-Nut Rating (in. 125 steel)	14 @ 1573 ea.
Extension	6 - 8 @ 1500 lbs. each
	100%

DIMENSIONS / WEIGHT RANGES

Length	36" - 96"
Width	22" - 48"
Profile/ Deck Height (inches)	4 3/4
Side Rails	4" with 8" High Sides
Grab Rail	Based on width of unit
Lower Frame Width	24" - 50"
Weight	350 - 430 lbs.

1500 lb capacity. 100% of the Cargo Tray Length Slides Out for Total Access to your Cargo. Real plywood deck with a laminated surface for strength and durability. 36 Bearings Total, 4 Full Complement Double Row, 16 Single Row Permanently Sealed Ball Bearings and 2 Cam Follower Sealed Needle Bearings provide Dependable Lasting support for the Cargo You Haul in Your CargoGlide, This slide also has 14 more sealed side thrust bearings that make it slide easier when used on uneven ground. Powder coated Industrial 4" high extruded 6061-T6 Aluminum Side Rails with a Slot Style infinitely adjustable Tie Down Track around all Three Sides, and includes 4 adjustable marine grade tie down eyebolts to make securing cargo easy and versatile. Includes 8" High Side Extensions on the first four feet of the rails at the cab end, helps contain more cargo.

Custom Sizes Available





MAIN SPECS



CAPACITIES

Payload Distributed Capacity	2200 lbs
Tie-down Load Rating	400 lbs per tie-down
Bearing Load Rating	Combined Load Rating of Bearings = 56128
Load Carrier	2 @ 3019 ea. / 18 @ 2508 ea.
Side-Thrust	2 @ 2473 ea.
Plus-Nut Rating (in. 125 steel)	N/C
Extension	6 - 8 @ 1500 lbs. each
	100%

DIMENSIONS / WEIGHT RANGES

Length	36" - 130"
Width	22" - 48"
Profile/ Deck Height (inches)	5
Side Rails	4" with 8" High Sides
Grab Rail	Based on width of unit
Lower Frame Width	47" Standard
Weight	335 - 448 lbs.

2200 lb capacity. 100% of the Cargo Tray Length Slides Out for Total Access to your Cargo. Real plywood deck with a laminated surface for strength and durability. 22 Bearings Total, 2 Full Complement Double Row, 18 Single Row Permanently Sealed Ball Bearings and 2 Cam Follower Sealed Needle Bearings provide Dependable Lasting support for the Cargo You Haul in Your CargoGlide. Powder coated Industrial 4" high extruded 6061-T6 Aluminum Side Rails with a Slot Style infinitely adjustable Tie Down Track around all Three Sides, and includes 4 adjustable marine grade tie down eyebolts to make securing cargo easy and versatile. Includes 8" High Side Extensions on the first four feet of the rails at the cab end, helps contain more cargo.

Custom Sizes Available



MAIN SPECS



Powder Coated steel frame, up to 75% extension in single or dual directions. Real plywood deck with laminated surface for strength and durability, 18 Roller Bearings Including Side Thrust Bearings for use flat or sideways. Single or dual directional models available. Perfect for applications such as

Vans with 2 side opening doors, RVs, Work Trucks and other applications. Capacities 1000 lbs. 100% Fully Assembled. Custom sizes available.

Custom Sizes Available



CONFIGURATION OPTIONS

CG2200HD Gooseneck Modification



CGGN-1

Aluminum Decks



CGALMD-1,2

Carpeted Decks



CGCPT



Aluminum High Sides

CGHS 48-A



High Sides Powder

CGHS 48-PC




Tie Down Bolts

CGCTTD 4



Outside Tie Downs

CGCLTD 4



Suspension Stabilizing Cargo Legs

CGSL 1



Ladder Rack

CGCR 65 - CGCR 75 - CGCR 95



Cargo Divider Burnished

CGCD 6



Bike Rack

CGBR 38 - CGBR 41 - CGBR 48

Spacer Kits

CUSTOM MADE TO ORDER



See the accessories page at Cargoglide.com or use the qr code on this page

Drop Link Kits



Lowering
Links

See the accessories page at Cargoglide.com or use the qr code on this page